

SUBID : 000001011529 Print Date 30.05.2016

Version 1

Revision Date 10.01.2014

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Identification of the substance or mixture: Product name : JETI ANUVIA HDC CYAN INK **REACH Registration No** : Registration numbers of the individual components: see section 3.2, if applicable. 1.2 Use of the substance/mixture: Identified relevant uses : Printer ink Uses advised against : Do not use for products which come into direct contact with food stuffs. Do not use for products which come into direct contact with the skin. Do not use for private purposes (household). 1.3 Company/undertaking identification Agfa-Gevaert Ltd. Vantage West Great West Road

Brentford, Middlesex TW8 9AX United Kingdom Tel. : +44 (0)20 8 231 4616 Fax : +44 (0)20 8 231 4951 E-mail: electronic.sds@agfa.com

#### 1.4 Emergency telephone

Emergency telephone number (Belgium) : +32 3 4443333 (24h/24h)

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

Regulation(EC) No 1272/2008 (	CLP)		
<ul> <li>Hazard classes</li> </ul>	Skin irritation		
Hazard categories	Category 2		
Hazard statements	H315		
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.		
<ul> <li>Hazard classes</li> </ul>	Serious eye damage		
Hazard categories	Category 1		
Hazard statements	H318		
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.		
<ul> <li>Hazard classes</li> </ul>	Skin sensitizer		
Hazard categories	Category 1		
Hazard statements	H317		
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.		
Hazard classes	Toxic to reproduction		
Hazard categories	Category 1B		
Hazard statements	H360FD		
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.		



SUBID : 000001011529

Version 1

Revision Date 10.01.2014

30.05.2016

Hazard classes	Chronic hazards to the aquatic environment
Hazard categories	Category 3
Hazard statements	H412
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.

67/548/EEC or 1999/45/EC	
Hazards characteristics	Harmful
R-phrase(s)	R22, R36/37/38, R41, R43, R52/53

Full text of each relevant R and H phrase is listed in section 16.

#### 2.2 Label elements:

Hazardous components which must be listed on the label :

• CAS-No.	: 57472-68-1 86273-46-3 71868-10-5	Oxybis(methyl-2,1-ethanediyl) diacrylate 2-(2-Vinyloxyethoxy) ethyl acrylate 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1- one
Symbol(s)		
	$\langle \cdot \rangle \langle \langle \cdot \rangle$	
GHS05	GHS07 GHS	508
Signal word Hazard statements	: DANGER : H315	Causes skin irritation.
	H318 H317 H360FD H412	Causes serious eye damage. May cause an allergic skin reaction. May damage fertility. May damage the unborn child. Harmful to aquatic life with long lasting effects.
Precautionary statements: prevention	: P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P201	Obtain special instructions before use.
Precautionary statements: response	P281 : P305+P351+P 338	Use personal protective equipment as required. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing.
	P310 P308+P313	Immediately call a POISON CENTER/doctor/# IF exposed or concerned: Get medical advice/attention.
Precautionary statements: storage	: P405	Store locked up.
2 3 Other hazarde		

#### 2.3 Other hazards:

This product does not meet the criteria concerning PBT or vPvB substances as described in Annex XIII of the REACH regulation (1907/2006 EC)



Version 1

Revision Date 10.01.2014

SUBID : 000001011529

Print Date 30.05.2016

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS 3.1 Mixture related information: Printer ink, mainly consisting of: 3.2 Hazard ingredients: The hazard and labelling information in this section is that of the individual ingredients. The corresponding information relative to this product as supplied is given in section 2.1. Hazardous components in the meaning of regulation(EC) No 1272/2008 (CLP) 2-(2-Vinyloxyethoxy) ethyl acrylate Concentration [%]: 20.0 40.0 CAS-No. 86273-46-3 1.1 **REACH Registration No** Transition time according to REACH regulation article 23 is still not expired. Acute toxicity Oral, Skin sensitizer Hazard classes Category 4, Category 1 Hazard categories 1 Hazard statements H302, H317 Oxybis(methyl-2,1-ethanediyl) diacrylate Concentration [%] : 10.0 -20.0 CAS-No. : 57472-68-1 EINECS-No. 260-754-3 REACH Registration No 01-2119484629-21-XXXX Hazard classes Skin irritation, Serious eye damage, Skin sensitizer Hazard categories Category 2, Category 1, Category 1 Hazard statements H315, H318, H317 • 4-(1,1-dimethylethyl)cyclohexyl acrylate Concentration [%]: 20.0 10.0 -CAS-No. 84100-23-2 1 Index-No. 607-133-00-9 EINECS-No. 282-104-8 **REACH Registration No** Transition time according to REACH regulation article 23 is still not expired. : Serious eye irritation, Specific target organ toxicity - single Hazard classes exposure, Skin irritation, Chronic hazards to the aquatic environment Hazard categories Category 2, Category 3, Category 2, Category 2 1 Hazard statements : H319, H335, H315, H411 • ethoxylated trimethylolpropane triacrylate Concentration [%]: 10.0 -20.0 CAS-No. 28961-43-5 **REACH Registration No** 01-2119489900-30-XXXX Hazard classes Serious eye irritation, Skin sensitizer 2 Hazard categories Category 2, Category 1 2 Hazard statements H319, H317 2-[[(butylamino)carbonyl]oxy]ethylacrylaat Concentration [%] : 5.0 -10.0 : 63225-53-6 CAS-No. EINECS-No. 264-036-0 REACH Registration No Transition time according to REACH regulation article 23 is still not expired. Serious eye irritation, Skin irritation Hazard classes Hazard categories Category 2, Category 2 Hazard statements 5 H319, H315 2-methyl-1-(4-methylthiophenyl)-2-Concentration [%] : 5.0 1.0 morpholinopropan-1-one CAS-No. 71868-10-5 Index-No. 606-041-00-6 EINECS-No./ELINCS No. /4006006



SUBID : 000001011529 Print Date 30.05.2016

Version 1

evision Date 10.01.2014					
REACH Registration No	: 01-2119472306				
Hazard classes		ral, Chronic hazards to the	e aquatic		
		exic to reproduction			
Hazard categories		egory 2, Category 1B			
Hazard statements	: H302, H411, H3	60FD			
lazardous components in t	he meaning of 67/548	/EEC or 1999/45/EC			
2-(2-Vinyloxyethoxy) ethyl	acrylate	Concentration [%] :	20.0	-	40.0
CAS-No.	: 86273-46-3				
Symbol(s)	: Xn				
R-phrase(s)	: R22, R43				
Oxybis(methyl-2,1-ethaned	liyl) diacrylate	Concentration [%] :	10.0	-	20.0
CAS-No.	: 57472-68-1				
EINECS-No.	: 260-754-3				
Symbol(s)	: Xi				
R-phrase(s)	: R38, R41, R43				
4-(1,1-dimethylethyl)cycloh		Concentration [%] :	10.0	-	20.0
CAS-No.	: 84100-23-2				
Index-No.	: 607-133-00-9				
EINECS-No.	: 282-104-8				
Symbol(s)	: Xi, N				
R-phrase(s)	: R36/37/38, R51	/53			
ethoxylated trimethylolprop	ane triacrylate	Concentration [%] :	10.0	-	20.0
CAS-No.	: 28961-43-5				
Symbol(s)	: Xi				
R-phrase(s)	: R36, R43				
2-[[(butylamino)carbonyl]ox	•	Concentration [%] :	5.0	-	10.0
CAS-No.	: 63225-53-6				
EINECS-No.	: 264-036-0				
Symbol(s)	: Xi				
R-phrase(s)	: R36/38				
2-methyl-1-(4-methylthioph		Concentration [%] :	1.0	-	5.0
morpholinopropan-1-one					
CAS-No.	: 71868-10-5				
Index-No. EINECS-No./ELINCS No. Symbol(s) R-phrase(s)	: 606-041-00-6 : /4006006 : Xn, N : R22, R51/53				
onents with a commu organic pigment	nity workplace expos	ure limit			
4-(1,1-dimethylethyl)cycloh	ovul acculate				
4-(1,1-dimethylethyl)cyclon	iexyi acrylate				
.3 Remark:					
Full text of each relevant R a	and H phrase is listed i	n section 16.			

#### 4.1 Description of first aid measures: : Immediately flush eye(s) with plenty of water. Consult an Eye contact oculist if necessary. Skin contact : Wash off with soap and water. : Rinse mouth with plenty of water. Consult a physician if Ingestion



#### SUBID : 000001011529

Print Date 30.05.2016

Version 1 Revision Date 10.01.2014	Print Date 30.05.2016
Revision Date 10.01.2014	
Inhalation :	necessary. Do not induce vomiting. Take patient to fresh air if necessary. Consult a physician if necessary.
4.2 Most important symptoms a	nd effects:
Symptoms :	Upon contact with skin: redness, pain. In case of eye contact: redness and pain. Ingestion can cause nausea, vomiting and diarrhea. May cause headache and dizziness.
4.3 Indication of immediate med	ical attention and special treatment needed:
General advice :	Call a physician immediately.
5. FIRE-FIGHTING MEASURES	
5.1 Extinguishing media	
Suitable extinguishing media :	Alcohol-resistant foam., Carbon dioxide (CO2)., Dry extinguishing powder., Water.
Extinguishing media which : must not be used for safety reasons	Do not use a solid water stream as it may scatter and spread fire.
5.2 Special hazards arising from	the substance or mixture:
Specific hazards during fire : fighting	Do not use a solid water stream as it may scatter and spread fire.
Further information :	Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
5.3 Advice for fire-fighters:	
Special protective equipment : for fire-fighters	Regular fire intervention clothes.
6. ACCIDENTAL RELEASE MEASU	RES
6.1 Personal precautions, protect	ctive equipment and emergency procedures:
Personal precautions :	Cleanup personnel must use appropriate personal protective
Additional advice :	equipment. Observe normal precautions when handling chemicals.
6.2 Environmental precautions:	
Environmental precautions :	The product should not be allowed to enter drains, water courses or the soil.
6.3 Methods and material for co	ntainment and cleaning up:
Methods for cleaning up :	Dike the spill if necessary. If spill occurs, apply a suitable absorbent material and collect into an impervious waste container. Collect the product in a plastic vessel. Carefully collect leftovers.
6.4 Reference to other sections:	



#### SUBID : 000001011529

Version 1

Revision Date 10.01.2014

Print Date 30.05.2016

For waste disposal see section 13. For personal protection see section 8.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

Advice on safe handling Hygiene measures		Prevent product from diffusing. Observe normal precautions when handling chemicals.Keep away from foodstuffs, drinks and tobacco.Employees should wash their hands and face before eating, drinking, or using tobacco products.
Advice on protection against fire and explosion	:	No special protective measures against fire and explosion required.
7.2 Conditions for safe storage	e:	
Requirements for storage areas and containers	:	Keep container tightly closed.Keep in a dry place.
Further information on storage conditions	:	Keep container in a well-ventilated place.

#### 7.3 Specific end use:

This substance is used only by trained professionals under restricted conditions.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters:

8.1.1 Components with occupational exposure limits rsp. biological occupational exposure limits requiring monitoring:

#### 8.1.1.1 Occupational exposure limits:

#### Air limit values

We are not aware of any national exposure limit.

#### **Biological limit values**

We are not aware of any national exposure limit.

### 8.1.1.2 Additional exposure limits under the conditions of use:

No other exposure limits applicable.

### 8.1.1.3 DNEL/DMEL and PNEC-values:

#### DNEL

No Chemical Safety Report performed. No DNEL/DMEL value determined.

#### PNEC

No Chemical Safety Report performed. No PNEC value determined.

### 8.2 Exposure controls:

Occupational exposure controls:

> Instruction measures to prevent exposure:



SUBID : 000001011529

Print Date 30.05.2016

Version 1

Revision Date 10.01.2014

Employees should wash their hands and face before eating, drinking, or using tobacco products. Keep away from foodstuffs, drinks and tobacco.

#### > Technical measures to prevent exposure:

Ensure adequate ventilation.

#### Personal measures to prevent exposure:

Respiratory protection Hand protection		not required under normal use Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butylrubber (thickness >= 0.70 mm, breakthrough time > 480 min).(EN 374). The use of protective gloves should conform to the specifications of EC directive 89/686/EC and the resultant standard EN374. Additional advice: The data are based on own tests, literature data and information of glove manufacturers or derived from similar substances. Because several factors may influence these properties (eg temperature), one should take into account the fact that the life of a chemical gloves in practice may be considerably shorter than indicated by the permeation test. The high diversity of types of use are prescribed by the manufacturer.
Eye protection Body Protection	:	Safety goggles. EN 166.
5	:	Safety clothes.
Personal protective equipment	:	Observe normal precautions when handling chemicals.

#### Environmental exposure controls:

Do not release into drain. Collect for removal by a licensed waste contractor. Effluent regulations/discharge/treatment/contents may vary from one area to another. Please consult the local regulations regarding the disposal of this material.

EU Directive	Status
European Directive 2000/60/EC (water)	not on list
European Directive 1996/62/EC (air)	not on list

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Basic physical and chemical properties:

#### 9.1.1 Appearance:

State of matter	: Liquid
Form	: Liquid.
Color	: Cyan
Odor	: Sweetish smell
Odor threshold	: No data available

#### 9.1.2 Important health, safety and environmental information:

pH	: Not applicable	
Melting point/range	: < 0 °C	Method: Literature.
Boiling point/range	: >100 °C	Method: Literature.
Flash point	: >100 °C	Method: Literature.
Autoignition temperature	: No data available	

Version 1

Revision Date 10.01.2014



#### SUBID : 000001011529

Print Date 30.05.2016

Revision Date 10.01.2014						
Vapour pressure Relative vapour density Relative density Density Solubility/qualitative Water solubility Partition coefficient (n- octanol/water)		Method: Literature.				
Viscosity, dynamic (45 °C) Viscosity, kinematic Lower explosion limit Upper explosion limit Evaporation rate Flammability (solid, gas)	<ul> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> </ul>	Method: Literature.				
9.2 Other information:	. Not naminable.	Method. Literature.				
VOC content	: Not applicable					
10. STABILITY AND REACTIVITY	Y					
10.1 Reactivity:						
Reactivity	: Reactivity is not to be expetition to be expetition to be expetition to be expetition of the experimentation of	ected under normal conditions of				
10.2 Chemical stability:						
Stability	: The product is stable under use.	er normal conditions of storage and				
10.3 Possibility of hazardous	reactions:					
Hazardous reactions	: The product is stable under use.	er normal conditions of storage and				
10.4 Conditions to avoid:						
Conditions to avoid	: Avoid contact with strong	acids.				
10.5 Materials to avoid:						
Materials to avoid	: No data available					
10.6 Hazardous decomposition	on products:					
Hazardous decomposition products	: No specified dangerous de	ecomposition products are known.				
11. TOXICOLOGICAL INFORMA	TION					
11.1 Information on toxicolog	gical effects					
Toxicity data specific for individ	Toxicity data specific for individual ingredients in their pure state:					
Toxicokinetics, metabolism and distribution:						



Version 1

Revision Date 10.01.2014

SUBID : 000001011529

Print Date 30.05.2016

No data available

#### Acute effects (toxicity tests):

#### Acute Toxicity

• 2-(2-Vinyloxyethoxy) ethyl acrylate

	Effect dose	Species	Value	Method
Acute oral toxicity	LD50	rat	1,790 mg/kg	OECD Test
-				Guideline 401
Acute oral toxicity	LD50	rat	2,026 mg/kg	OECD Test
-				Guideline 401
	Based on av	ailable data,	the classification criteria	are not met.
Acute dermal toxicity	LD50	rat	> 2,000 mg/kg	OECD Test
				Guideline 402
	Based on av	ailable data,	the classification criteria	are not met.
Acute inhalation toxicity	LC50	rat	5.82 mg/l/ 4 h	OECD Test
				Guideline 403

#### • Oxybis(methyl-2,1-ethanediyl) diacrylate

	Effect dose	Species	Value Method
Acute oral toxicity	LD50	rat	4,600 mg/kg Literature.
	Based on av	ailable data	the classification criteria are not met.
Acute dermal toxicity	LD50	rabbit	> 2,000 mg/kg Literature.
	Based on av	ailable data	the classification criteria are not met.
Acute inhalation toxicity			
	No data avai	lable	

#### • 4-(1,1-dimethylethyl)cyclohexyl acrylate

	Effect dose	Species	Value Method		
Acute oral toxicity	LD50	rat	> 2,000 mg/kg Literature.		
	Based on ava	ailable data,	the classification criteria are not met.		
Acute dermal toxicity					
	No data available				
Acute inhalation toxicity					
	An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.				

#### • ethoxylated trimethylolpropane triacrylate

000 mg/kg OECD Tes	st
Guideline 4	401
ion criteria are not met.	
200 mg/kg Literature.	
ion criteria are not met.	

	Effect dose	Species	Value Method
Acute oral toxicity	LD50	rat	> 2,000 mg/kg
Acute dermal toxicity	Based on avai		the classification criteria are not met.
Acute inhalation toxicity			



#### SUBID : 000001011529

Version 1

Revision Date 10.01.2014

Print Date 30.05.2016

No data available						
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one						
	Effect dose Species Value Method					
Acute oral toxicity	LD50	rat	1,984 mg/kg	OECD Test		
				Guideline 401		
Acute dermal toxicity	LD50	rat	> 2,000 mg/kg	OECD Test		
				Guideline 402		
Acute inhalation toxicity	Based on av	ailable data, tl	ne classification criteria	are not met.		
	No data avai	lable				

#### > Specific target organ toxicity (STOT):

Specific effects	Affected organs
Based on available data, the classification criteria are not met.	

#### > Irritant and corrosive effects:

	Exposure time	Species	Evaluation	Method
Primary irritation to the skin				
-	Irritating to	skin.		
Irritation to eyes				
	Risk of serie	ous damage	to eyes.	

#### > Irritation to the respiratory tract:

No data available

#### > Sensitisation:

Species	Evaluation	Method
	May cause sensitizati	on of susceptible persons by skin contact.

#### > Aspiration hazard:

No data available

#### Sub-acute, sub-chronic and chronic toxicity

#### > Repeated dose toxicity:

No data available

#### > Specific target organ toxicity (STOT):

Based on available data, the classification criteria are not met.

#### > CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

#### - Carcinogenicity

Based on available data, the classification criteria are not met.

#### - Mutagenicity



#### SUBID : 000001011529 Print Date 30.05.2016

Version 1

Revision Date 10.01.2014

Based on available data, the classification criteria are not met.

#### - Genetic toxicity in vitro

No data available

### - Genetic toxicity in vivo

No data available

#### - Teratogenicity

Based on available data, the classification criteria are not met.

#### - Toxicity to reproduction

May impair fertility. May cause harm to the unborn child.

#### > Summarised evaluation of the CMR properties:

Carcinogenicity	:	Based on available data, the classification criteria are not met.
Mutagenicity	:	Based on available data, the classification criteria are not met.
Teratogenicity	:	Based on available data, the classification criteria are not met.
Toxicity to reproduction	:	May impair fertility. May cause harm to the unborn child.

#### Experiences made in practice:

At high concentrations the monomer vapours can cause eye and nose irritation. Symptoms may be delayed. Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use. Other dangerous properties can not be excluded.

### **12. ECOLOGICAL INFORMATION**

#### 12.1 Ecotoxicity:

• 2-(2-Vinyloxyethoxy) ethyl acrylate

	Effect Exposu	ire Species	Value
	dose time		
Toxicity to fish	LC50 96 h	Brachidanio rerio (zebra fish)	6.8 mg/l
	Method: OECD 1	est Guideline 203	
Toxicity to fish	NOEC 96 h	Brachidanio rerio (zebra fish)	2.2 mg/l
	Method: OECD 1	est Guideline 203	
Toxicity to fish	LC100 96 h	Brachidanio rerio (zebra fish)	10 mg/l
	Method: OECD 1	est Guideline 203	
Toxicity to daphnia	EC50 48 h	Daphnia magna	55 mg/l
	Method: OECD 1	est Guideline 202	
Toxicity to daphnia	EC100 48 h	Daphnia magna	100 mg/l
	Method: OECD 1	est Guideline 202	
Toxicity to daphnia	NOEC 48 h	Daphnia magna	25 mg/l
	Method: OECD 1	est Guideline 202	
Toxicity to algae	EC50 72 h	Scenedesmus subspicatus	5 mg/l
		(algae)	
	Method: OECD 1	est Guideline 201	
Toxicity to algae	NOEC 72 h	scenedesmus subspicatus	0.78 mg/l
	Method: OECD 1	est Guideline 201	
Toxicity to algae	LOEC 72 h	scenedesmus subspicatus	2.7 mg/l
_	Method: OECD 1	est Guideline 201	



SUBID : 000001011529 Print Date 30.05.2016

Version 1

Revision Date 10.01.2014

IC50			
	3 h OECD-Guid	eline No.209; 88/302/EEC C.11	741 mg/
thanediyl)	diacrylate		
Effect dose	Exposure time	Species	Value
LC50 Method: I	96 h Literature.	Leuciscus idus (golden orfe)	2.15 to 4.64 mg/
EC50 Method: I	48 h Literature.	Daphnia magna	22.3 mg/
EC50 Method: I	72 h Literature.	Algae	< 16.7 mg/
		ata, the classification criteria are r	iot met.
)cvclohexv	vl acrvlate		
Effect	Exposure time	Species	Value
LC50	96 h	Brachidanio rerio (zebra fish)	1 to 10 mg/
EC50	48 h	Daphnia	0.772 mg/
EC50	96 h	Algae	0.091 mg/
EC50		Pseudomonas putida (bacteria)	> 1,000 mg/
Method:	DIN 38412	· · · · ·	
/lolpropane	e triacrylate		
Effect dose	Exposure time	Species	Value
LC50 Method: (	96 h OECD Test	Brachidanio rerio (zebra fish) Guideline 203	1.95 mg/
EC50	48 h	Daphnia magna	7.07 mg/
wethou.	72 h	Desmodesmus subspicatus	2.2 mg/
EC10	3 h	Guideline 201	292 mg/
onyl]oxy]e	ethylacrylaat		
Effect	Exposure	Species	Value
	thanediyl) Effect dose LC50 Method: Based or EC50 Method: Based or EC50 Method: Based or No data a ocyclohex Effect dose LC50 Method: EC50 Mothod: EC50 Mothod: EC50 Mothod: EC50 Method: EC50 Method: EC50 Method: EC50 Method: EC50 Mothod: E	thanediyl) diacrylate Effect Exposure dose time LC50 96 h Method: Literature. Based on available d EC50 48 h Method: Literature. Based on available d EC50 72 h Method: Literature. Based on available Cyclohexyl acrylate Effect Exposure dose time LC50 96 h Method: DIN 38412 Iolpropane triacrylate Effect Exposure dose time LC50 96 h Method: Literature. EC50 48 h Method: Literature. EC50 96 h Method: DIN 38412 Iolpropane triacrylate Effect Exposure dose time LC50 96 h Method: DIN 38412 Iolpropane triacrylate Effect Exposure dose time LC50 96 h Method: OECD Test EC50 48 h Method: OECD Test EC50 3 h Method: OECD Test EC50 3 h Method: OECD Test EC10 3 h Method: OECD Test EC10 3 h Method: OECD Test EC10 3 h	Effect Exposure Species dose time LC50 96 h Leuciscus idus (golden orfe) Method: Literature. Based on available data, the classification criteria are r EC50 48 h Daphnia magna Method: Literature. Based on available data, the classification criteria are r EC50 72 h Algae Method: Literature. Based on available data, the classification criteria are r No data available rcyclohexyl acrylate Effect Exposure Species dose time LC50 96 h Brachidanio rerio (zebra fish) Method: Literature. EC50 48 h Daphnia Method: Literature. EC50 96 h Algae Method: Literature. EC50 96 h Algae Method: Literature. EC50 96 h Algae Method: Literature. EC50 96 h Algae Method: DIN 38412 Iolpropane triacrylate Effect Exposure Species dose time LC50 96 h Brachidanio rerio (zebra fish) Method: DIN 38412 Iolpropane triacrylate Effect Exposure Species dose time LC50 96 h Brachidanio rerio (zebra fish) Method: OECD Test Guideline 203 EC50 48 h Daphnia magna Method: OECD Test Guideline 201 EC10 3 h Method: OECD Test Guideline 201 EC10 3 h Method: OECD Test Guideline 201 EC10 3 h Method: OECD-Guideline No.209; 88/302/EEC C.11 onyl]oxy]ethylacrylaat Effect Exposure Species dose time No data available No data available No data available No data available

• 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one



#### SUBID : 000001011529

Version 1

Revision Date 10.01.2014

Print Date 30.05.2016

	Effect	Exposure	Species	Value
	dose	time	-	
Toxicity to fish	LC50	96 h	Brachidanio rerio (zebra fish)	9 mg/l
	Method:	OECD Test	Guideline 203	
Toxicity to daphnia	EC50		Daphnia magna	15.3 mg/l
	Method:	OECD Test	Guideline 202	
Toxicity to algae	EC50		scenedesmus subspicatus	1.7 mg/l
	Method	OECD Test	Guideline 201	_
Toxicity to bacteria	EC50			> 100 mg/l
-	Method:	OECD-Guid	leline No.209; 88/302/EEC C.11	-

#### 12.2 Persistence and degradability:

#### **Physico-chemical removability**

No data available

#### **Chemical Oxygen Demand (COD)**

No data available

#### Adsorbed organic bound halogens (AOX)

Product does not contain any organic halogens.

#### **Biodegradation**

No data available

#### **Biochemical Oxygen Demand (BOD)**

No data available

#### 12.3 Bioaccumulative potential:

#### Partition coefficient (n-octanol/water)

No data available

#### **Bioconcentration factor (BCF)**

No data available

#### 12.4 Mobility in soil:

No information available.

#### Henry's constant

Value	Temperature	Method
		No information available.

#### Transport between environmental compartments

No data available

#### 12.5 Results of PBT and vPvB assessment:

This product does not meet the criteria concerning PBT or vPvB substances as described in Annex XIII of the REACH regulation (1907/2006 EC)

#### 12.6 Other adverse effects:



#### SUBID : 000001011529

Version 1

Revision Date 10.01.2014

Print Date 30.05.2016

This substance is not in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Avoid infiltration in to drinking supplies, waste water or soil.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

#### Waste disposal methods

Environmental regulations, discharge of chemicals and washwater, waste treatment and disposal conditions of chemicals and their packaging may vary from one country to another. The relevant local regulations should be consulted. When this product or its contaminated packaging has to be removed as waste, contact an authorized waste contractor.

May be discharged to drain if local regulations permit.

#### Empty containers.

As the packaging can be contaminated with product residus, please observe the warnings of the label even when the container is empty.Do not reuse empty container without proper cleaning.Label precautions also apply to this container when empty.

For waste resulting from the expired product, it is recommended to use European Waste Code : 08 03 12 (waste ink containing dangerous substances).

#### **14. TRANSPORT INFORMATION**

Not regulated according to ADR. Not regulated according to ADNR. Not regulated according to RID. Not regulated according to IMO/IMDG. Not regulated according to ICAO/IATA aircraft only. Not regulated according to ICAO/IATA passenger and cargo aircraft.

#### **15. REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### Authorisation and/or restriction on use

Authorisation	: No
Restriction on use	: Not listed on EU. REACH, Annex XVII, Restrictions on manufacture, placing on the market and use of certain
	dangerous substances, mixtures & articles (Reg 1907/2006/EC, as amended

#### **Other EU regulations**

Does not fall under specific EU-Regulations.

#### **15.2 Chemical Safety Assessment**

No Chemical Safety Report needed according REACH.



SUBID : 000001011529 Print Date 30.05.2016

Version 1

Revision Date 10.01.2014

#### **16. OTHER INFORMATION**

#### Text of H-phrases referred to under headings 2 and 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360FD	May damage fertility. May damage the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Text of R-phrases referred to under headings 2 and 3:

R22	Harmful if swallowed.
R36	Irritating to eyes.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitization by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### **Further information**

This Safety Data Sheet is compiled in accordance with European Directives and corresponding national legislation.

The information disclosed in this Safety Data Sheet is believed to be correct to the best of our current knowledge and experience. It only relates to the specific product designated herein and it may not be valid when said product is used in combination with any other material or in any process, unless specified in the text. This document aims to provide the necessary health and safety information of the product and is not to be considered a warranty or quality specification. It is the responsibility of the user to comply with local legislation relating to safety, health, environment and waste management.

#### Sources of key data used to compile the datasheet

Handbuch der gefährlichen Güter, Hommel.
The Dictionary of Substances and their Effects, Royal Society of Chemistry.
Gefährliche Chemische Reaktionen, L.Roth und U.Weller.
Handbuch der Umweltgifte, Dauderer.
Chemiekaarten, latest version.
Safety Data Sheet from the supplier. This safety data sheet contains an ES (if applicable) in an integrated form.
Contents of the exposure scenario have been included (if applicable) into sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet. The downstream user has to check whether his uses are covered by the integrated ES information in this safety data sheet.

#### Abbreviations

ADR:

Accord européen relatif au transport international des marchandises



SUBID : 000001011529

Version 1 Revision Date 10.01.2014 Print Date 30.05.2016

	Dangereuses par Route
ADNR:	Accord européen relatif au transport international des marchandises
	Dangereuses par la Rhin
AGW:	Arbeitsplatzgrenswerte (GE)
ATEmix:	Acute toxicity estimate of the mixture
CLP:	Classification, Labelling and Packaging of substances and mixtures
CMR:	Carcinoge
DNEL:	Derived No Effect Level
EC0:	Effective Concentration 0%
EC5:	Effective Concentration 5%
EC10:	Effective Concentration 10%
EC50:	Median Effective Concentration
EC100:	Effective Concentration 100%
EH40 WEL:	Workplace Exposure Limit (UK)
IATA:	International Air Transport Association
ICAO:	International Civil Aviation Organization
IC50:	inhibitory concentration 50%
IMDG:	International Maritime Dangerous Goods
IMO:	International Maritime Organization
IUCLID:	International Uniform ChemicaL Information Database
LC50:	Lethal Concentration 50%
LC100:	Lethal Concentration 100%
LOAEL:	Lowest Observed Adverse Effect Level
LDL0	Lethal Dose (minimum found to be lethal)
LD50:	Lethal Dose 50%
MAC:	Maximaal Aanvaardbare Concentratie (NL)
MAK:	Maximale Arbeitsplatz-Konzentration
NOAEL:	No Observed Adverse Effect Level
NOEL:	No Observed Effect Level
NOEC:	No Observed Effect Concentration
OEL:	Occupatianal Exposure Limit
PBT:	Persistent, Bioaccumulative and Toxic substance
PNEC:	Predicted No Effect Concentration
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID:	Regulations concerning the International Transport of Dangerous Goods by
	Rail
STEL:	Short Term Exposure Limit
TLV:	Treshold Limit Value
TRGS900:	Arbeitsplatzgrenswerte (GE)
TWA:	Time Weighted Average
VOC:	Volatile Organic Compound
vPvB:	very Persistent and very Bioaccumulative substance