according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Identification of the substance or mixture:

Product name : AJ UV G4 OA BLACK INK

REACH Registration No : Registration numbers of the individual components: see section

3.2, if applicable.

#### 1.2 Use of the substance/mixture:

Identified relevant uses : Printer ink

Uses advised against : Do not use for products which come into direct contact with the

skin. Do not use for products which come into direct contact with food stuffs. Do not use for private purposes (household).

### 1.3 Company/undertaking identification

Agfa-Gevaert Ltd. Vantage West Great West Road

Brentford, Middlesex TW8 9AX

United Kingdom

Tel.: +44 (0)20 8 231 4616 Fax: +44 (0)20 8 231 4951 E-mail: electronic.sds@agfa.com

### 1.4 Emergency telephone

Emergency telephone number (Belgium): +32 3 4443333 (24h/24h)

#### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture:

Regulation(EC) No 1272/2008 (C	LP)
Hazard classes	Skin irritation
Hazard categories	Category 2
Hazard statements	H315
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.
Hazard classes	Serious eye irritation
Hazard categories	Category 2
Hazard statements	H319
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.
Hazard classes	Skin sensitizer
Hazard categories	Category 1
Hazard statements	H317
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.
Hazard classes	Specific target organ toxicity - single exposure
Hazard categories	Category 3
Hazard statements	H335
Classification procedure	According the classification criteria of CLP Regulation (EC)

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

	No 1272/2008.
Hazard classes	Specific target organ toxicity - repeated exposure
Hazard categories	Category 1
Hazard statements	H372
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.
<ul> <li>Hazard classes</li> </ul>	Chronic hazards to the aquatic environment
Hazard categories	Category 2
Hazard statements	H411
Classification procedure	According the classification criteria of CLP Regulation (EC) No 1272/2008.

67/548/EEC or 1999/45/EC	
Hazards characteristics	Toxic, Dangerous for the environment
R-phrase(s)	R36/37/38, R43, R48/23, R51/53

Full text of each relevant R and H phrase is listed in section 16.

#### 2.2 Label elements:

Hazardous components which must be listed on the label:

• CAS-No. : 2235-00-9 N-vinyl caprolactam

5888-33-5 Isobornyl acrylate 119-61-9 Benzophenone

Symbol(s)







GHS09

Signal word : DANGER

Hazard : H315 Causes skin irritation.

P273

statements
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary: P260 Do not breathe dust/fume/gas/mist/vapours/spray.

statements: prevention

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

Precautionary: P337+P313 If eye irritation persists: Get medical advice/attention.

statements:

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Avoid release to the environment.

P363 Wash contaminated clothing before reuse.

P312 Call a POISON CENTER/ doctor/#/if you feel unwell.

P391 Collect spillage.

GB 2/20 EN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



## AJ UV G4 OA BLACK INK

**SUBID** : 000001013990
Print Date 10.08.2015

Revision Date 19.03.2015

Version 1

#### 2.3 Other hazards:

This product does not meet the criteria concerning PBT or vPvB substances as described in Annex XIII of the REACH regulation (1907/2006 EC)

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixture related information:

Printer ink, mainly consisting of:

#### 3.2 Hazard ingredients:

The hazard and labelling information in this section is that of the individual ingredients. The corresponding information relative to this product as supplied is given in section 2.1.

### Hazardous components in the meaning of regulation(EC) No 1272/2008 (CLP)

Isobornyl acrylate
 Concentration [%]: 20.0 - 40.0

CAS-No. : 5888-33-5

REACH Registration No : 01-2119957862-25-XXXX

Hazard classes : Skin irritation, Serious eye irritation, Specific target organ

toxicity - single exposure, Chronic hazards to the aquatic

environment

Hazard categories : Category 2, Category 2, Category 3, Category 2

Hazard statements : H315, H319, H335, H411

• Phenoxyethylacrylate Concentration [%]: 10.0 - 20.0

CAS-No. : 48145-04-6 EINECS-No. : 256-360-6

REACH Registration No : Transition time according to REACH regulation article 23 is still

not expired.

Hazard classes : Skin sensitizer
Hazard categories : Category 1
Hazard statements : H317

• N-vinyl caprolactam Concentration [%]: 10.0 - 20.0

CAS-No. : 2235-00-9 EINECS-No. : 218-787-6

REACH Registration No : 01-2119977109-27-XXXX

Hazard classes : Acute toxicity Oral, Serious eye irritation, Skin sensitizer,

Specific target organ toxicity - repeated exposure Inhalation

Hazard categories : Category 4, Category 2, Category 1B, Category 1

Hazard statements : H302, H319, H317, H372

• Ethoxylated nonylphenol acrylate Concentration [%]: 1.0 - 5.0

REACH Registration No : Substance must not be registered according to REACH annex

IV and V.

Hazard classes : Serious eye irritation, Skin irritation

Hazard categories : Category 2, Category 2

Hazard statements : H319, H315

• Phosphine oxide, diphenyl(2,4,6- Concentration [%]: 1.0 - 3.0

trimethylbenzoyl)-

CAS-No. : 75980-60-8 EINECS-No. : 278-355-8

REACH Registration No : 01-2119972295-29-XXXX

Hazard classes : Toxic to reproduction, Chronic hazards to the aquatic

GB 3/20 EN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

environment, Skin sensitizer

Hazard categories : Category 2, Category 2, Category 1

Hazard statements : H361f, H411, H317

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine
 Concentration [%]:
 1.0 5.0

oxide

CAS-No. : 162881-26-7 Index-No. : 015-189-00-5

REACH Registration No : Transition time according to REACH regulation article 23 is still

not expired.

Hazard classes : Skin sensitizer, Chronic hazards to the aquatic environment

Hazard categories : Category 1A, Category 4

Hazard statements : H317, H413

Benzophenone
 Concentration [%]: 1.0 - 5.0

CAS-No. : 119-61-9 EINECS-No. : 204-337-6

REACH Registration No

Hazard classes : Skin irritation, Serious eye irritation, Acute hazards to the

aquatic environment, Specific target organ toxicity - single exposure, Chronic hazards to the aquatic environment

Hazard categories : Category 2, Category 1, Category 3, Category 1

Hazard statements : H315, H319, H400, H335, H410

• 2-Ethylhexyl 4-(dimethylamino)benzoate Concentration [%]: 1.0 - 5.0

CAS-No. : 21245-02-3 EINECS-No. : 244-289-3

REACH Registration No

Hazard classes : Serious eye irritation

Hazard categories : Category 2 Hazard statements : H319

• 2-Propenoic acid ,1-6-hexanediyl Concentration [%]: 1.0 - 5.0

ester, polymer with 2-aminoethanol

CAS-No. : 67906-98-3

REACH Registration No : Transition time according to REACH regulation article 23 is still

not expired.

Hazard classes : Skin irritation, Serious eye irritation

Hazard categories : Category 2, Category 2

Hazard statements : H315, H319

• Hexamethylene diacrylate Concentration [%]: 1.0 - 5.0

CAS-No. : 13048-33-4 Index-No. : 607-109-00-8 EINECS-No. : 235-921-9

REACH Registration No : 01-2119484737-22-XXXX

Hazard classes : Serious eye irritation, Skin irritation, Skin sensitizer

Hazard categories : Category 2, Category 1

Hazard statements : H319, H315, H317

Hazardous components in the meaning of 67/548/EEC or 1999/45/EC

• Isobornyl acrylate Concentration [%]: 20.0 - 40.0

CAS-No. : 5888-33-5 Symbol(s) : Xi, N

R-phrase(s) : R36/37/38, R51/53

Phenoxyethylacrylate
 Concentration [%]: 10.0 - 20.0

CAS-No. : 48145-04-6 EINECS-No. : 256-360-6

Symbol(s) : Xi R-phrase(s) : R43

GB 4/20 EN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

• N-vinyl caprolactam Concentration [%]: 10.0 - 20.0

CAS-No. : 2235-00-9 EINECS-No. : 218-787-6

Symbol(s) : T

R-phrase(s) : R22, R36, R43, R48/23

• Ethoxylated nonylphenol acrylate Concentration [%]: 1.0 - 5.0

Symbol(s) : Xi R-phrase(s) : R36/38

• Phosphine oxide, diphenyl(2,4,6- Concentration [%]: 1.0 - 3.0

trimethylbenzoyl)-

CAS-No. : 75980-60-8 EINECS-No. : 278-355-8

Symbol(s) : N

R-phrase(s) : R51/53, R43, R62

phenyl bis(2,4,6-trimethylbenzoyl)-phosphineConcentration [%]: 1.0 - 5.0

oxide

CAS-No. : 162881-26-7 Index-No. : 015-189-00-5

Symbol(s) : Xi

R-phrase(s) : R43, R53

• Benzophenone Concentration [%]: 1.0 - 5.0

CAS-No. : 119-61-9 EINECS-No. : 204-337-6

Symbol(s) : Xi

R-phrase(s) : R36/37/38, R52/53

• 2-Ethylhexyl 4-(dimethylamino)benzoate Concentration [%]: 1.0 - 5.0

CAS-No. : 21245-02-3 EINECS-No. : 244-289-3 Symbol(s) : Xi R-phrase(s) : R36

• 2-Propenoic acid ,1-6-hexanediyl Concentration [%]: 1.0 - 5.0

ester,polymer with 2-aminoethanol

CAS-No. : 67906-98-3

Symbol(s) : Xi R-phrase(s) : R36/38

• Hexamethylene diacrylate Concentration [%]: 1.0 - 5.0

CAS-No. : 13048-33-4 Index-No. : 607-109-00-8 EINECS-No. : 235-921-9

Symbol(s) : Xi

R-phrase(s) : R36/38, R43

### Components with a community workplace exposure limit

Caprolactam

Hexamethylene diacrylate

• Carbon Black (carbon)

### 3.3 Remark:

Full text of each relevant R and H phrase is listed in section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures:

GB 5/20 EN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Print Date 10.08.2015 Version 1

Revision Date 19.03.2015

Eye contact : Immediately flush eye(s) with plenty of water. Consult an

oculist if necessary.

: Wash off with soap and water. Skin contact

: Rinse mouth with plenty of water. Consult a physician if Ingestion

necessary. Do not induce vomiting.

Inhalation : Take patient to fresh air if necessary. Consult a physician if

necessary.

4.2 Most important symptoms and effects:

**Symptoms** : Upon contact with skin: redness, pain. In case of eye contact:

redness and pain. Ingestion can cause nausea, vomiting and

diarrhea. May cause headache and dizziness.

4.3 Indication of immediate medical attention and special treatment needed:

General advice : Call a physician immediately.

### 5. FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam., Carbon dioxide (CO2)., Dry

extinguishing powder., Water.

Extinguishing media which must not be used for safety

reasons

5.2 Special hazards arising from the substance or mixture:

Specific hazards during fire

fighting

: Do not use a solid water stream as it may scatter and spread

: Do not use a solid water stream as it may scatter and spread

fire.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

5.3 Advice for fire-fighters:

Special protective equipment

for fire-fighters

: Regular fire intervention clothes.

#### **6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures:

Personal precautions : Cleanup personnel must use appropriate personal protective

equipment.

Additional advice : Observe normal precautions when handling chemicals.

6.2 Environmental precautions:

: The product should not be allowed to enter drains, water **Environmental precautions** 

courses or the soil.

#### 6.3 Methods and material for containment and cleaning up:

Methods for cleaning up Dike the spill if necessary. If spill occurs, apply a suitable

absorbent material and collect into an impervious waste

GB 6/20 ΕN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

CAS-No.: 1333-86-4

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

container. Collect the product in a plastic vessel. Carefully collect leftovers.

#### 6.4 Reference to other sections:

For waste disposal see section 13. For personal protection see section 8.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

Advice on safe handling : Prevent product from diffusing.

Hygiene measures : Observe normal precautions when handling chemicals. Keep

away from foodstuffs, drinks and tobacco. Employees should wash their hands and face before eating, drinking, or using

tobacco products.

Advice on protection against

fire and explosion

: No special protective measures against fire and explosion

required.

### 7.2 Conditions for safe storage:

Requirements for storage

areas and containers

: Keep container tightly closed. Keep in a dry place.

conditions

Further information on storage : Keep container in a well-ventilated place.

### 7.3 Specific end use:

This substance is used only by trained professionals under restricted conditions.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters:

### 8.1.1 Components with occupational exposure limits rsp. biological occupational exposure limits requiring monitoring:

### 8.1.1.1 Occupational exposure limits:

## Air limit values

 Caprolactam CAS-No.: 105-60-2

Basis	Revision	Value	Type	
	Date			
EU ELV	12 2009	10 mg/m3	TWA	
EU ELV	12 2009	40 mg/m3	STEL	
EH40 WEL	2007	10 mg/m3	TWA	
EH40 WEL	2007	1 mg/m3	TWA	
EH40 WEL	2007	20 mg/m3	STEL	
EH40 WEL	2007	3 mg/m3	STEL	

#### Carbon Black (carbon)

Basis	Revision	Value	Туре
	Date		
EH40 WEL	2005	3.5 mg/m3	TWA

GB	7/20	EN
(-B	77.70	HINI HINI

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

EH40 WEL | 2005 | 7 mg/m3 STEL

#### **Biological limit values**

We are not aware of any national exposure limit.

### 8.1.1.2 Additional exposure limits under the conditions of use:

No other exposure limits applicable.

### 8.1.1.3 DNEL/DMEL and PNEC-values:

#### **DNEL**

N-vinyl caprolactam
 CAS-No.: 2235-00-9

Application area	Route of	Health effect	Value
	exposure		
Worker: Industry	Inhalation	Long-term - systemic effects	4.9 mg/m3
Worker: Industry	Dermal		0.7 mg/kg
Worker: Industry	Inhalation	Long-term - local effects	0.17 mg/m3

#### **PNEC**

N-vinyl caprolactam
 CAS-No.: 2235-00-9

Environmental compartment	Exposure time	Value
Fresh water		0.1 mg/l
Marine water		0.01 mg/l
Intermittent release		1 mg/l
Sewage treatment plant		262 mg/l
Sediment-fresh water		0.829 mg/kg
Soil		0.107 mg/kg

#### 8.2 Exposure controls:

### Occupational exposure controls:

### > Instruction measures to prevent exposure:

Employees should wash their hands and face before eating, drinking, or using tobacco products. Keep away from foodstuffs, drinks and tobacco.

### > Technical measures to prevent exposure:

Ensure adequate ventilation.

### > Personal measures to prevent exposure:

Respiratory protection : not required under normal use

Hand protection : Use chemical resistant gloves. In case of prolonged immersion

or frequently repeated contact use gloves made of the materials: butylrubber (thickness >= 0.70 mm, breakthrough time > 480 min).(EN 374). The use of protective gloves should conform to the specifications of EC directive 89/686/EC and

the resultant standard EN374.

GB 8/20 EN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

Additional advice: The data are based on own tests, literature data and information of glove manufacturers or derived from similar substances. Because several factors may influence these properties (eg temperature), one should take into account the fact that the life of a chemical gloves in practice may be considerably shorter than indicated by the permeation test. The high diversity of types of use are prescribed by the

manufacturer.

Eye protection : Safety goggles. EN 166.

Body Protection : Safety clothes.

Personal protective : Observe normal precautions when handling chemicals.

equipment

### **Environmental exposure controls:**

Do not release into drain. Collect for removal by a licensed waste contractor. Effluent regulations/discharge/treatment/contents may vary from one area to another. Please consult the local regulations regarding the disposal of this material.

EU Directive	Status
European Directive 2000/60/EC (water)	not on list
European Directive 1996/62/EC (air)	not on list

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Basic physical and chemical properties:

### 9.1.1 Appearance:

State of matter : Liquid Form : Liquid. Color : Black

Odor : Sweetish smell Odor threshold : No data available

### 9.1.2 Important health, safety and environmental information:

pH : Not applicable

Autoignition temperature : No data available Vapour pressure : No data available Relative vapour density : No data available

Relative density : 1.054 Method: Literature.

Density : No data available
Solubility/qualitative : Immiscible with water.
Water solubility : No data available
Partition coefficient (n- : No data available

octanol/water)

Viscosity, dynamic : 10.8 mPa.s Method: Literature.

Viscosity, kinematic : No data available Lower explosion limit : No data available Upper explosion limit : No data available Evaporation rate : No data available

Flammability (solid, gas) : Not flammable. Method: Literature.

GB 9/20 EN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

9.2 Other information:

VOC content : Not applicable

#### 10. STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity : Reactivity is not to be expected under normal conditions of

temperature and pressure.

10.2 Chemical stability:

Stability : The product is stable under normal conditions of storage and

use.

10.3 Possibility of hazardous reactions:

Hazardous reactions : The product is stable under normal conditions of storage and

use.

10.4 Conditions to avoid:

Conditions to avoid : No data available

10.5 Materials to avoid:

Materials to avoid : No data available

10.6 Hazardous decomposition products:

Hazardous decomposition

products

: No specified dangerous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Toxicity data specific for individual ingredients in their pure state:

### Toxicokinetics, metabolism and distribution:

No data available

### Acute effects (toxicity tests):

#### > Acute Toxicity

Isobornyl acrylate

	Effect dose	Species	Value Method
Acute oral toxicity	LD50	rat	4,890 mg/kg Literature.
	Based on ava	ailable data	, the classification criteria are not met.
Acute dermal toxicity	LD50	rabbit	5,000 mg/kg Literature.
	Based on ava	ailable data	, the classification criteria are not met.

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

Acute inhalation toxicity	
	No data available
	No data available

### Phenoxyethylacrylate

	Effect dose	Species	Value	Method
Acute dermal toxicity	LD50		> 2,000 mg/kg	Literature.
	Based on ava	ailable data, t	he classification criteria	are not met.
Acute inhalation toxicity				
	No data avai	lable		

### N-vinyl caprolactam

	Effect dose	Species	Value	Method
Acute oral toxicity	LD50	rat	ca. 1,400 mg/kg	Literature.
Acute dermal toxicity	LD50	rat	> 2,000 mg/kg	Literature.
	Based on av	ailable data	, the classification criteria	are not met.
Acute inhalation toxicity	LC50	rat		
	It was demor		t during intended and fores formed.	seen applications,

• Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

	Effect dose	Species	Value Method
Acute oral toxicity	LD50	rat	> 2,000 mg/kg Literature.
	Based on av	ailable data	, the classification criteria are not met.
Acute dermal toxicity	LD50	rat	> 2,000 mg/kg Literature.
	Based on av	ailable data	, the classification criteria are not met.
Acute inhalation toxicity			
·	No data avai	lable	

• phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

	Effect dose	Species	Value	Method
Acute oral toxicity	LD50	rat	> 2,000 mg/kg	OECD Test
				Guideline 401
	Based on ava	ailable data,	the classification criteria	are not met.
Acute dermal toxicity	LD50	rat	> 2,000 mg/kg	OECD Test
				Guideline 402
	Based on ava	ailable data,	the classification criteria	are not met.
Acute inhalation toxicity				
	No data avai	lable		

### Benzophenone

	Effect dose	Species	Value	Method
Acute oral toxicity		rat	> 10,000 mg/kg	
Acute dermal toxicity		rabbit	> 3,535 mg/kg	

## • 2-Propenoic acid ,1-6-hexanediyl ester,polymer with 2-aminoethanol

	Effect dose Sp	oecies Va	alue	Method
Acute oral toxicity				
	No data available	e		
Acute dermal toxicity				
-	No data available	e		
Acute inhalation toxicity				
	No data available	e		

### • Hexamethylene diacrylate

	Effect dose	Species	Value	Method
Acute oral toxicity	LD50	rat	> 5,000 mg/kg	OECD Test
				Guideline 401

GB	11/20	EN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

	Based on available data, the classification criteria are not met.					
Acute dermal toxicity	LD50 rabbit	3,650 mg/kg OECD Test				
		Guideline 402				
Acute inhalation toxicity	Based on available data, the classification criteria are not met.					
riodio minalation toxiony	No data available					

### > Specific target organ toxicity (STOT):

Specific effects	Affected organs
Irritating to respiratory system.	

#### > Irritant and corrosive effects:

	Exposure time	Species	Evaluation	Method		
Primary irritation to the skin						
	Irritating to skin.					
Irritation to eyes						
	Eye irritatio	n				

### > Irritation to the respiratory tract:

May cause irritation of respiratory tract.

### > Sensitisation:

Species	Evaluation	Method
	May aguas agnaitizati	on of augoentible persons by ekin contact
	way cause sensitizati	on of susceptible persons by skin contact.

### > Aspiration hazard:

No data available

Sub-acute, sub-chronic and chronic toxicity

### > Repeated dose toxicity:

No data available

### > Specific target organ toxicity (STOT):

May cause damage to organs through prolonged or repeated exposure.

### > CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

#### - Carcinogenicity

Based on available data, the classification criteria are not met.

### - Mutagenicity

Based on available data, the classification criteria are not met.

### - Genetic toxicity in vitro

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015 Revision Date 19.03.2015

No data available

### - Genetic toxicity in vivo

No data available

### - Teratogenicity

Based on available data, the classification criteria are not met.

### - Toxicity to reproduction

Based on available data, the classification criteria are not met.

#### > Summarised evaluation of the CMR properties:

Carcinogenicity : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Teratogenicity : Based on available data, the classification criteria are not met.

Toxicity to reproduction : Based on available data, the classification criteria are not met.

### **Experiences made in practice:**

Symptoms may be delayed. Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use. Other dangerous properties can not be excluded. At high concentrations the monomer vapours can cause eye and nose irritation.

#### 12. ECOLOGICAL INFORMATION

### 12.1 Ecotoxicity:

Isobornyl acrylate

	Effect	Exposure	Species	Value
	dose	time	•	
Toxicity to fish	LC50	96 h	Brachidanio rerio (zebra fish)	0.704 mg/l
	Method	: OECD Test	Guideline 203	
Toxicity to daphnia				
	No data	ı available		
Toxicity to algae	NOEC	72 h	Algae	0.405 mg/l
	Method	: OECD Test	Guideline 201	_
Toxicity to algae	EC50	72 h	Algae	1.98 mg/l
	Method	: OECD Test	Guideline 201	_
Toxicity to algae	EC50	72 h	Algae	0.596 mg/l
	Method	: OECD Test	Guideline 201	
Toxicity to bacteria				
	No data	available		

### Phenoxyethylacrylate

	Effect dose	Exposure time	Species	Value
Toxicity to fish				
-	No data	available		
Toxicity to daphnia				
	No data	available		
Toxicity to algae				
	No data	available		

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

Toxicity to bacteria	
	No data available

### N-vinyl caprolactam

	Effect	Exposure	Species	Value
	dose	time		
Toxicity to fish	LC50	96 h	Brachidanio rerio (zebra fish)	318 mg/l
	Method:	<b>OECD</b> Test	Guideline 203	
	Based o	n available d	lata, the classification criteria are not met.	
Toxicity to daphnia	EC50	48 h	Daphnia magna	> 100 mg/l
	Method:	<b>OECD</b> Test	Guideline 202	_
	Based of	n available d	lata, the classification criteria are not met.	
Toxicity to algae	EC50	72 h	Scenedesmus subspicatus (algae)	> 100 mg/l
	Method:	Literature.		
	Based of	n available d	lata, the classification criteria are not met.	
Toxicity to bacteria	EC50	16 h	Pseudomonas putida	622 mg/l
			(bacteria)	
	Method:	OECD-Guio	leline No.209; 88/302/EEC C.11	
	Based of	n available d	lata, the classification criteria are not met.	

### • Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

	Effect	Exposure	Species	Value
	dose	time		
Toxicity to fish	LC50	96 h	Leuciscus idus (golden orfe)	< 100.00 mg/l
	Method:	Literature.		
Toxicity to daphnia	EC0	48 h	Daphnia magna (water flea)	< 100.00 mg/l
	Method:	Literature.		
Toxicity to daphnia	EC50	48 h	Daphnia	3.53 mg/l
	Method:	Literature.		-
Toxicity to algae	EC50	72 h	Algae	> 1,000 mg/l
	Method:	Literature.	-	
Toxicity to bacteria	EC50	17 h	Bacteria	> 500.00 mg/l
•	Method:	Literature.		_

### • phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

	Effect	Exposure	Species	Value
	dose	time	•	
Toxicity to fish	LC50	96 h	Brachidanio rerio (zebra fish)	> 0.09 mg/l
-	Method	: OECD Test	Guideline 203	
Toxicity to daphnia	EC50	48 h	Daphnia magna	> 1,175 mg/l
	Method	: OECD Test	Guideline 202	
Toxicity to algae	EC50	72 h	Scenedesmus subspicatus	> 0.26 mg/l
			(algae)	
	Method	: OECD Test	Guideline 201	
Toxicity to bacteria	EC50	3 h	Bacteria	> 100 mg/l
·	Method:	: OECD-Guid	leline No.209; 88/302/EEC C.11	-

### Benzophenone

	Effect dose	Exposure time	Species	Value
Toxicity to fish	LC50	96 h	Pimephales promelas (fathead minnow)	15.3 mg/l
Toxicity to daphnia	EC50	24 h	Daphnia magna	0.28 mg/l

• 2-Propenoic acid ,1-6-hexanediyl ester,polymer with 2-aminoethanol

GB	14/20	EN
(-B	14/20	HNI -

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

	Effect dose	Exposure time	Species	Value
Toxicity to fish				
	No data	available		
Toxicity to daphnia				
	No data	available		
Toxicity to algae				
Taviale to backeria	No data	available		
Toxicity to bacteria	No data	available		

• Hexamethylene diacrylate

	Effect Exposure	Species	Value
	dose time		
Toxicity to fish	LC50 96 h	Leuciscus idus (golden orfe)	4.6 to 10 mg/l
7	Method: DIN 38412	2	_
Toxicity to daphnia	EC0 24 h	Daphnia magna	1.6 mg/l
	Method: Literature.		
Toxicity to daphnia	EC50 24 h	Daphnia magna	6 mg/l
	Method: Literature.	. •	5
Toxicity to daphnia	EC100 24 h	Daphnia magna	25 mg/l
, , , , , ,	Method: Literature.		- <b>J</b>
Toxicity to daphnia	EC0 48 h	Daphnia magna	0.8 mg/l
	Method: Literature.		515 III gi
Toxicity to daphnia	EC50 48 h	Daphnia magna	2.6 mg/l
remaily to daprima	Method: Literature.		g/.
Toxicity to algae	NOEC 72 h	Algae	ca. 0.5 mg/l
Toxiony to algae	Method: DIN 38412	•	oa. o.o mg/i
Toxicity to algae	EC10 72 h	- Algae	0.59 mg/l
Toxiony to argue	Method: DIN 38412	<u> </u>	0.00 mg/i
Toxicity to algae	EC50 72 h	Algae	1.5 mg/l
TOXICITY to algae	Method: DIN 38412		1.5 mg/i
Toyloity to bootorio		2	270 mg/l
Toxicity to bacteria	EC50 0.5 h	idalina Na 200, 00/202/EEC C 44	ca. 270 mg/l
	ivietnoa: OECD-Gu	ideline No.209; 88/302/EEC C.11	

### 12.2 Persistence and degradability:

### Physico-chemical removability

No data available

### **Chemical Oxygen Demand (COD)**

No data available

### Adsorbed organic bound halogens (AOX)

Product does not contain any organic halogens.

### **Biodegradation**

No data available

### **Biochemical Oxygen Demand (BOD)**

No data available

### 12.3 Bioaccumulative potential:

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

### Partition coefficient (n-octanol/water)

No data available

### **Bioconcentration factor (BCF)**

No data available

### 12.4 Mobility in soil:

No information available.

#### **Henry's constant**

Value	Temperature	Method
		No information available.

#### Transport between environmental compartments

No data available

#### 12.5 Results of PBT and vPvB assessment:

This product does not meet the criteria concerning PBT or vPvB substances as described in Annex XIII of the REACH regulation (1907/2006 EC)

#### 12.6 Other adverse effects:

This substance is not in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer. Avoid infiltration in to drinking supplies, waste water or soil. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

### Waste disposal methods

Environmental regulations, discharge of chemicals and washwater, waste treatment and disposal conditions of chemicals and their packaging may vary from one country to another. The relevant local regulations should be consulted. When this product or its contaminated packaging has to be removed as waste, contact an authorized waste contractor.

May be discharged to drain if local regulations permit.

#### Empty containers.

As the packaging can be contaminated with product residus, please observe the warnings of the label even when the container is empty. Do not reuse empty container without proper cleaning. Label precautions also apply to this container when empty.

For waste resulting from the expired product, it is recommended to use European Waste Code: 08 03 12 (waste ink containing dangerous substances).

#### 14. TRANSPORT INFORMATION

**ADR** 

UN-No : 3082

GB 16/20 EN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



## AJ UV G4 OA BLACK INK

SUBID: 000001013990

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Acrylate)

Class : 9
Packing group : III
Classification Code : M6
Labelling No. : 9
Risk No. : 90
Environmentally Hazardous : Yes

**RID** 

UN-No : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Acrylate)

Class : 9
Packing group : III
Classification Code : M6
Labelling No. : 9
Risk No. : 90

**ADNR** 

UN-No : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Acrylate)

Class : 9
Packing group : III
Classification Code : M6
Labelling No. : 9
Risk No. : 90

**IMO / IMDG** 

UN-No : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Acrylate)

Class : 9
Packing group : III
Labelling No. : 9
EmS : F-A, S-F

Marine pollutant : P

ICAO / IATA cargo aircraft only

UN-No : 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Acrylate)

Class : 9
Packing group : III
Labelling No. : 9MI
Packing instruction : 964

ICAO / IATA passenger and cargo aircraft

UN-No : 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Acrylate)

Class : 9
Packing group : III
Labelling No. : 9MI
Packing instruction : 964

GB 17/20 EN

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



## AJ UV G4 OA BLACK INK

**SUBID**: 000001013990 Print Date 10.08.2015

Revision Date 19.03.2015

Version 1

#### 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### Authorisation and/or restriction on use

Authorisation : No

Restriction on use : Not listed on EU. REACH, Annex XVII, Restrictions on

manufacture, placing on the market and use of certain

dangerous substances, mixtures & articles (Reg 1907/2006/EC,

as amended

#### Other EU regulations

Does not fall under specific EU-Regulations.

### 15.2 Chemical Safety Assessment

No Chemical Safety Report needed according REACH.

#### 16. OTHER INFORMATION

### Text of H-phrases referred to under headings 2 and 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### Text of R-phrases referred to under headings 2 and 3:

Harmful if awallowed

RZZ	Harmiui ii Swallowed.
R36	Irritating to eyes.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36/38	Irritating to eyes and skin.
R43	May cause sensitization by skin contact.

R48/23 Toxic: danger of serious damage to health by prolonged exposure through

inhalation.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R53 May cause long-term adverse effects in the aquatic environment.

R62 Possible risk of impaired fertility.

#### **Further information**

Daa

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



SUBID: 000001013990

## AJ UV G4 OA BLACK INK

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

This Safety Data Sheet is compiled in accordance with European Directives and corresponding national legislation.

The information disclosed in this Safety Data Sheet is believed to be correct to the best of our current knowledge and experience. It only relates to the specific product designated herein and it may not be valid when said product is used in combination with any other material or in any process, unless specified in the text. This document aims to provide the necessary health and safety information of the product and is not to be considered a warranty or quality specification. It is the responsibility of the user to comply with local legislation relating to safety, health, environment and waste management.

#### Sources of key data used to compile the datasheet

Handbuch der gefährlichen Güter, Hommel.

The Dictionary of Substances and their Effects, Royal Society of Chemistry.

Gefährliche Chemische Reaktionen, L.Roth und U.Weller.

Handbuch der Umweltgifte, Dauderer.

Chemiekaarten, latest version.

Safety Data Sheet from the supplier.

IUCLID Test data. This safety data sheet contains an ES (if applicable) in an integrated form. Contents of the exposure scenario have been included (if applicable) into sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet. The downstream user has to check whether his uses are covered by the integrated ES information in this safety data sheet.

#### **Abbreviations**

ADR: Accord européen relatif au transport international des marchandises

Dangereuses par Route

ADNR: Accord européen relatif au transport international des marchandises

Dangereuses par la Rhin

AGW: Arbeitsplatzgrenswerte (GE)

ATEmix: Acute toxicity estimate of the mixture

CLP: Classification, Labelling and Packaging of substances and mixtures

CMR: Carcinoge

DNEL: Derived No Effect Level EC0: Effective Concentration 0% EC5: Effective Concentration 5% EC10: Effective Concentration 10% EC50: Median Effective Concentration EC100: Effective Concentration 100% Workplace Exposure Limit (UK) EH40 WEL: International Air Transport Association IATA: International Civil Aviation Organization ICAO:

IC50: inhibitory concentration 50%

IMDG: International Maritime Dangerous Goods IMO: International Maritime Organization

IUCLID: International Uniform Chemical Information Database

LC50: Lethal Concentration 50%
LC100: Lethal Concentration 100%

LOAEL: Lowest Observed Adverse Effect Level LDL0 Lethal Dose (minimum found to be lethal)

LD50: Lethal Dose 50%

MAC: Maximaal Aanvaardbare Concentratie (NL)
MAK: Maximale Arbeitsplatz-Konzentration

according to Regulation (EC) No 1907/2006 (REACH Annex II) and its amendments



# AJ UV G4 OA BLACK INK

SUBID: 000001013990

Version 1 Print Date 10.08.2015

Revision Date 19.03.2015

NOAEL: No Observed Adverse Effect Level

NOEL: No Observed Effect Level

NOEC: No Observed Effect Concentration OEL: Occupatianal Exposure Limit

PBT: Persistent, Bioaccumulative and Toxic substance

PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations concerning the International Transport of Dangerous Goods by

Rail

STEL: Short Term Exposure Limit
TLV: Treshold Limit Value
TRGS900: Arbeitsplatzgrenswerte (GE)
TWA: Time Weighted Average
VOC: Volatile Organic Compound

vPvB: very Persistent and very Bioaccumulative substance

GB 20/20 EN